

	Weeks	Light pro day (hours)	COCO ml per 10 liters	RHIZO TONIC ml per 10 liters	CANNA ZYM ml per 10 liters	PK 13/14 ml per 10 liters	CANNA BOOST ml per 10 liters	PPM (Trunccheon)+	PPM (Trunccheon) Total
Growth	Start / rooting (3 –5 days) Make substrate wet	<1	19(A) 19(B)	40	-	-	-	630	910
	Vegetative phase I Plant develops in volume	0-3 ^a	23(A) 23(B)	20	25	-	-	763	1050
	Vegetative phase II Up to growth stagnation after fructification or appearance of the formation of flowers	2-4 ^b	27(A) 27(B)	20	25	-	20 - 40 ^e	896	1190
Flowering	Generative Period I Flowers or fruits develop in length. Growth in height achieved	2-3	34(A) 34(B)	5	25	-	20 - 40	1134	1400
	Generative Period II Development of the volume (breadth) of flowers or fruit	1	38(A) 38(B)	5	25	15	20 - 40	1267	1540
	Generative Period III Development of the mass (weight) of flowers or fruit	2-3	25(A) 25(B)	5	25	-	20 - 40	833	1120
	Generative Period IV Flowers or fruit ripening process	1-2	-	-	25 - 50 ^d	-	20 - 40	-	280

Product line: COCO
 Your tanksize: 10 liters
 Scheduletype: Normal feeding
 Water EC: 300
 Dosage units: ml/10 liters
 Recommended pH: 5.5 - 6.2



The guidelines in the table aren't an iron law, but can help novice growers to develop a sophisticated fertilisation strategy. The optimum fertilisation strategy is further determined by factors such as: temperature, humidity, plant species, root volume, moisture percentage in substrate, water dosage strategy, etc.

- a.** This period varies depending on the species and number of plants per m2. Mother plants remain in this phase until the end (6 – 12 months).
 - b.** The changeover from 18 to 12 hours varies depending on the variety. The rule of thumb is to change after 2 weeks.
 - c.** Reduce hours of light if ripening goes too fast. Watch out for increasing Relative Humidity.
 - d.** Double CANNAZYM dosage to 50 ml/10 liters, if substrate is reused.
 - e.** 20 ml/ 10 liters standard. Increase to a maximum of 40 ml/10 liters for extra flowering power.
- EC:
 - EC+ value is based in mS/cm when EC water = 0.0 at 25°C, pH 6.0
 - pH:
 - Recommended pH is between 5.5 - 6.2
 - Adding pH- can increase EC
 - Use pH- grow in the vegetative as in the generative phase to lower the pH